

### UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/669,249	09/25/2003	Takeshi Kanai	243073US6	3189
22850 7590 11/17/2009 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET			EXAMINER	
			TERMANINI, SAMIR	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2179	
			NOTIFICATION DATE	DELIVERY MODE
			11/17/2009	ELECTRONIC

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

#### Application No. Applicant(s) 10/669 249 KANAI, TAKESHI Office Action Summary Art Unit Examiner Samir Termanini 2179 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 23 June 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-5 and 7-9 is/are pending in the application. 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed.

# 

# Application Papers

9) The specification is objected to by the Examiner.

10)⊠ The drawing(s) filed on <u>25 September 2003</u> is/are: a)⊠ accepted or b)☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).			
a)⊠ All	b)  Some * c)  None of:		
1.⊠	Certified copies of the priority documents have been received.		

2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_

3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)	
1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date
3) Information Disclosure Statement(s) (PTO/S6/08)	5) Notice of Informal Fatent Application
Paper No(s)/Mail Date	6) Other:
C. Detect and Tenderschilder	

Application/Control Number: 10/669,249 Page 2

Art Unit: 2179

#### DETAILED ACTION

#### BACKGROUND

- 1. This final Office Action is responsive to communications filed 6/23/2009.
- 2. Claim(s) 1-5, and 7-9 are pending. Claim(s) 1, 4-5 and 7 are independent in form.

#### RESPONSE TO AMENDMENT

- 3. Arguments concerning the rejection of claims:
  - (a) 1, 4-5 and 7: for being rejected under 35 U.S.C. 102(e) for being anticipated by *Huttunen* (U.S. PG Pub 2003/0069881); and
  - (b) 2-3 and 8-9: for being unpatentable over *Huttunen* (U.S. PG Pub 2003/0069881) in view of *Harada et al.* (U.S. Pat No. 6,486,890).

have been fully considered but are not persuasive. For the reasons below, the rejections have been maintained.

#### CLAIM REJECTIONS-35 U.S.C. §102

 The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(e) the invention was described in (1) an application for patent, published under section 12:2(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

 The rejection of Claims 1, 4-5 and 7 under 35 U.S.C. 102(e) for being anticipated by Huttunen (U.S. PG Pub 2003/0069881) is being maintained.

Art Unit: 2179

As to independent claim 1, Huttunen describes: an information processing device comprising: storage means for storing content data of predetermined content ("...those nodes are stored...," para. [0099]); and display control means for controlling display of the predetermined content on a display screen based on the stored content data ("...A fragment, as the term is used herein, is a portion of document which results from partitioning or parsing of the document for transmission to a user's device for rendering and display thereon...," para. [0009]), wherein; the predetermined content is divided into a plurality of blocks to be consecutively displayed on the display screen ("...subsequently displayed screens. The user operates the input means to issue the request for a next or preceding fragment in the document order for transmission back to the user device. The request also contains a pointer to the instance of the document to be rendered on the user device....," para. [0118]; also see: "...The size of the fragment is compared to a predetermined threshold that is selected based on a characteristic of a receiving device configured to receive and render the fragment....," para. [0024]), and the content data includes positional data which relates to a blocks and which is for setting a position on the display screen of a subsequent block to be displayed on the display screen relative to a position on the display screen of a previous block, the subsequent block on the display screen ("...subsequently displayed screens. The user operates the input means to issue the request for a next or preceding fragment in the document order for transmission back to the user device. The request also contains a pointer to the instance of the document to be rendered on the user device...." para. [0118]) and the previous block identifying different blocks of the predetermined content; ("...The partitioning agent also needs to know the maximum size of the fragment in each situation, and whether the user wants a next or previous fragment, i.e. the partitioning direction...." para.

Art Unit: 2179

[0060]); and said display control means controls the display of the predetermined content by ("...the size of a memory area for illuminating the display pixels on the device 112, and the type of the type of device 112, and may be determined by the DPA 224 or the device 112...." para. [0082]), based on the positional data ("...illuminating the display pixels on the device 112...." para. [0082]), sequentially controlling display of one predetermined block in a predetermined position in units of the blocks ("...The user may also select via the input means user preferences, such as instructions that any relevant image may be split between subsequently displayed screens. The user operates the input means to issue the request for a next or preceding fragment in the document order for transmission back to a user device....." para, [0118]), said positional data including data that describes the position on the display screen of the subsequent block on the display screen in terms relative to a position on the display screen of the previous block, the subsequent block ("...subsequently displayed screens. The user operates the input means to issue the request for a next or preceding fragment in the document order for transmission back to the user device. The request also contains a pointer to the instance of the document to be rendered on the user device...," para. [0118]) and the previous block identifying different blocks of the predetermined content; ("...If a matching node is found, a link 352 to a previous fragment is added to a current fragment 222; otherwise, the root element has been reached, and a link 352 to a previous fragment will not be added to a current fragment 222 since there is no prior fragment...," para. [0115]).

As to independent claim 4, this claim differs from claim 1 only in that it is directed to a method carried out by apparatus of claim 1. Accordingly, this claim is rejected for the same reasons set forth in the treatment of claim 1, above.

Art Unit: 2179

As to independent claim 5, this claim differs from claim 4 only in that the latter is directed to a product defined by the process of the former. Accordingly, this claim is rejected for the same reasons set forth in the treatment of claim 4, above.

As to independent claim 7, this claim differs insubstantially from claim 1 and is rejected for the same reasons set forth in the treatment of claim 1, above.

#### CLAIM REJECTIONS-35 U.S.C. § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
  obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- The rejection of Claims 2-3 and 8-9 under 35 U.S.C. 103(a) as being unpatentable over *Huttunen* (U.S. PG Pub 2003/0069881) in view of *Harada et al.* (U.S. Pat No. 6,486,890)) is being maintained.

## Scope of the Prior Art and the Level of Ordinary Skill<sup>1</sup>

Harada et al. disclose an image display device having a main body with a display screen

A and a second display screen B and a physical hinge connecting them. The two play units are

<sup>&</sup>lt;sup>1</sup> "Factors that may be considered in determining level of ordinary skill in the art include (1) the educational level of the inventor; (2) type of problems encountered in the art; (3) prior art solutions to those problems; (4) rapidity with which innovations are made; (5) sophistication of the technology; and (6) educational level of active workers in the field." Environmental Designs, Ltd. v. Union Oil Co., 713 F.2d 693, 696, 218 USPQ 865, 868 (Fed. Cir. 1983), cert. denied, 464 U.S. 1043 (1984).

Art Unit: 2179


opened and closed at the link so that display screens are folded over each other for carrying like a book, and they are opened in a use mode to permit the recognition of the display image.

Huttunen teaches a structured document being partitioned to produce a fragment for output to a mobile device for rendering and display. The fragment includes forward and backward links to allow the user of the device to navigate the document by requesting fragments of previous or subsequent context in the document hierarchy. User preferences, architectural limitation parameters, and the partitioning direction are included in a request from the device, and with predetermined partitioning rules, are used to partition the annotated document to yield the displayable fragment.

#### II. Obviousness and Analysis of Claimed Differences

As to dependent **claim 2**, *Huttunen* taught the limitations of claim 1 addressed above. However, *Huttunen* differs from claim 2 because it does not clearly teach that the display control means controls two different display screens.

On the other hand, Harada et al. teach a display control means controlling two different display screens ("two LCD screens 54-1 and 54-2," col. 22, lines 11-23), and in said display control means, display of the content on a display screen based on the content data on one screen is controlled and display on the other screen of content formed by enlarging the predetermined block in the predetermined content ("Entire Image on One Side and Magnified Image on the Other Side. When two pages are displayed on the two LCD screens (54-1 and 54-2) and one of the LCDs (for example, the right 54-1) is magnified," col. 22, lines 11-23). Further shown below:



As shown and compared above, *Harada et al.* teach in Fig. 20D, *inter alia*, the predetermined block for which enlargement is directed.

It would have been obvious to one ordinary skill in the relevant field at the time the invention was made to use two screens to having the positional data taught of *Huttunen*, as claimed, because *Harada et al* teaches the use of positional data for the portioned display on image display devices ("...information of a predetermined format...," col. 6, lines 28-29; see also predetermined amount of data, col. 13, lines 50-60; see also, "appear sequentially," col. 8, lines. 1-15; see also, "the first page is disappeared from the display and the next page is moved to a screen on which the disappeared page was displayed and the next new page is displayed." col. 23, lines 38-44).

Art Unit: 2179

As to dependent **claim 3**, *Huttunen* taught the limitations of claim 1 addressed above. However, *Huttunen* differs from claim 3 because it does not clearly teach that an enlargement is directed for the predetermined block at a predetermined magnification.

However, Harada et al. further teach that the enlargement is directed for the predetermined block (Fig 20D, above) said display control means extracts pieces of the content data ("...the data on the record medium is read and...decompressed...by the decompressor 513 and it is transferred to a memory circuit 515," col. 18, lines 14-18) which relate to a predetermined block for which the enlargement is directed (display control means is able to direct enlargement, e.g. a VRAM 516 that is divided into two parts corresponding to a two display screens 54-1 and 54-2 of the LCD 54.), and controls content on a display screen based on the pieces of the content data so as to be displayed at a predetermined magnification (e.g. magnified by a factor of two, col. 13, lines 64-65).

It would have been obvious to one ordinary skill in the relevant field at the time the invention was made to use an enlargement is directed for the predetermined block at a predetermined magnification as taught in *Harada et al.* with the device in *Huttunen* because, in the same field of endeavor of displaying blocks on small devices, *Huttunen* teaches the partitioning that *Harada et al.* disclose in solving the problem of displaying larger blocks on small screens:

Art Unit: 2179

The ultimate goal of document partitioning is to improve the accessibility and usability of documents. Partitioning makes it possible either to access documents via new devices or to render them in a new way allowing, for example, mobile Internet connectivity or more usable and efficient document use for user devices that were previously able to access the same information in a different way. Partitions of documents are, by definition, smaller in size than the original document (although real-world solutions need to embed some metadata with the fragments). Small size allows shorter access times, which is especially important with large documents and with the relatively low network connection bandwidths currently used in wireless networks. Although not required for partitioning, user preferences are natural add-ons to partitioning rules. Preferences allow document partitions to be more customizable and thus more usable.

(para. [0041]).

As to dependent **claims 8 and 9**, these claims differs insubstantially from claims 2 and 3. Therefore, claims 8 and 9 are rejected for the same reasons set forth in the treatment of claims 2 and 3, above.

#### RESPONSE TO ARGUMENTS

8. Applicant arguments, see pp. 2 filed 12/18/2008, with respect to a Rejections cited by the Examiner in the previous Office Action (Mail dated: 4/17/2009) of Claims 1-5 are under 35 U.S.C. 103(a) for being unpatentable over *Huttunen* (U.S. PG Pub 2003/0069881) have been fully considered but are not persuasive.

Applicant argues,

The Office Action relies on Huttunen to describe a partitioning agent which sets a maximum size of a fragment of a document, based on a memory buffer restriction of a device for displaying the fragment Further, the Office Action asserts that Huttunen discloses a link 352 to a previous fragment and adding the link 352 to a current fragment 222.2. Therefore, the link 352 merely "references the previous sibling element node in the document order." Huttunen is silent regarding describing positional data including data that describes a position on a display screen of a subsequent block to be displayed

Art Unit: 2179

relative to a position on the display screen of a previous block, as recited in clarified Claim 1.

In response the examiner respectfully points out that *Huttunen* teaches:

[0119] If no fragment meeting the size limitations is producible, portions of a fragment may be serially delivered to the user for display until the fragment has been fully displayed.

[0120] After the fragment has been displayed, and the user operates the user device to navigate forward or backward within the document, the screen is cleared and the next fragment in the partitioning direction is requested and received for storage and display on the screen of the user device.

[0121] In the herein-described embodiment, the displayed fragment may occupy less than the full screen display capability of the user device, so that some portion of the screen pixels may not be illuminated. Optionally, this unused portion can be illuminated with part of the next fragment (backward or forward, as appropriate) in the hierarchy, this next fragment being fully displayed when a subsequent screen is invoked.

(paragraphs. [0119]-[0121]) . Huttunen has not been relied upon for teaching the claimed positional data.

#### Conclusion

9. All prior art made of record in this Office Action or as cited on form PTO-892 notwithstanding being relied upon, is considered pertinent to applicant's disclosure. Therefore, Applicant is required under 37 CFR §1.111(c) to consider these references fully when responding to this Office Action.

Kuno et al. (US Pat. No. 5,467,102) for teaching a portable display device capable of presenting simultaneous display of different parts of the document in reasonable sizes on at least two display screens.

Art Unit: 2179

Reavey et al. (US Pat. No. 5,847,698) for teaching an electronic book device with means for orientating the material on the electronic display unit responsive to an opening position on the display screen of the electronic book device.

Rohrabaugh et al. (PG-PUB 20020091738 A1) for teaching resolutionindependent vector display of internet content to allow it to be scaled (zoomed) larger and smaller for better viewing or to fit any resolution or screen size.

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Samir Termanini at telephone number is (571) 270-1047. The Examiner can normally be reached from 9 A.M. to 6 P.M., Monday through Friday.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Weilun Lo can be reached on (571) 272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications Art Unit: 2179

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to a Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to a automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Samir Termanini/ Examiner, Art Unit 2179

/Weilun Lo/ Supervisory Patent Examiner, Art Unit 2179